



Receiver


From

 Company  
 Reference  
 Address  
 Phone  
 Fax  
 E-mail

**DKLP 40-1200 T**

Number of working motors : 1

Curve tolerance according to ISO 9906


 Suction side :  
 DN 40  
 10 bar (1000 KPa)

 Discharge side :  
 DN 40  
 10 bar (1000 KPa)

Flow :

Head :

 Rated speed :  
 2.937 1/min

MAIN\_PROJECT\_TITLE

BUSINESS\_PROCESS\_IT

OWNER\_

ISSUE\_DATE

2023-03-17



# DIMENSIONAL DRAWING

2023-03-17

Page 3 / 3


DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com

Receiver

From

Company  
Reference  
Address  
Phone  
Fax  
E-mail

## DKLP 40-1200 T



Dimensions in mm					Pump connection	
1	A	110	DNM	40	Suction DN 40 1 MPa  Discharge DN 40 1 MPa	
2	B	437	H	400		
3	B1	217	H1	55		
4	B2	220	I	200		
5	C	100	L	250		
6	D	80	L1	125		
7	D1	100	L2	125		
8	D2	110	M	4 fori 12		
9	D3	150				
10	D4	4 asole 18X23				
11	DNA	40				

MAIN_PROJECT_TITLE	BUSINESS_PROCESS_ID	OWNER	ISSUE_DATE <b>2023-03-17</b>
--------------------	---------------------	-------	---------------------------------