

Company name: Created by: Phone:

Date: 30/12/2022

Qty. | Description

DPI/--0-4.0b/2/ F/M2.00-X/EG6/-B/02B/SD-1



Note! Product picture may differ from actual product

Product No.: 97747206

The transmitter is made of 1.4404 stainless steel.

Liquid:

Liquid temperature range: -30 .. 120 °C

Technical:

Approvals: EAC

Approvals for drinking water: WRAS, ACS
Pressure differential functionality = Yes/No: Y

Pressure relative functionality (Yes/No): N

Flow functionality (Yes/No): N

Temperature functionality (Yes/No): Y
Minimum measuring pressure: 0 bar
Maximum measuring pressure: 4 bar

Minimum measuring temperature: 0 °C

Maximum measuring temperature: 100 °C

Installation:

Range of ambient temperature: -25 .. 60 °C

Electrical data:

Enclosure class (IEC 34-5): IP67
Length of cable: 2 m
Minimum rated voltage dc: 16.60 V
Maximum rated voltage dc: 30.00 V

Others:


Danish VVS No.: 475274240 Finnish LVI No.: 4534529



Company name: Created by: Phone:

Date: 30/12/2022

Description	Value		
General information:			
Product name:	DPI/0-4.0b/2/ F/M2.00-X/EG6/-B/02B/SD-1		
Product No:	97747206		
EAN number:	5710623682860		
Technical:			
Approvals:	EAC		
Approvals for drinking water:	WRAS, ACS		
Pressure differential functionality = Yes/No:	Υ		
Pressure relative functionality (Yes/No):	N		
Flow functionality (Yes/No):	N		
Temperature functionality (Yes/No):	Υ		
Minimum measuring pressure:	0 bar		
Maximum measuring pressure:	4 bar		
Minimum measuring temperature:	0 °C		
Maximum measuring temperature:	100 °C		
Installation:			
Range of ambient temperature:	-25 60 °C		
Liquid:			
Liquid temperature range:	-30 120 °C		
Electrical data:			
Enclosure class (IEC 34-5):	IP67		
Length of cable:	2 m		
Minimum rated voltage dc:	16.60 V		
Maximum rated voltage dc:	30.00 V		
Others:			
Danish VVS No.:	475274240		
Finnish LVI No.:	4534529		





Company name: Created by: Phone:

Date: 30/12/2022

Order Data:

Position	Your pos.	Product name		Product No	Total
		DPI/0-4.0b/2/	1		Price on request
				<u> </u>	